



TERMINAL BOX POSITION : - CAN BE ARRANGED AT EITHER 9, 12 OR 3 O'CLOCK BY MOVING FEET.  
STANDARD TERMINAL BOX POSITION IS 12 O'CLOCK.  
CONDUIT ENTRIES:- TERMINAL BOX CAN BE ROTATED AT 90° INTERVALS  
(CONDUIT ENTRY POSITION SHOWN FOR ILLUSTRATION ONLY).

ALL DIMENSIONS IN MILLIMETERS



FIRST ANGLE  
PROJECTION

**BROOK  
CROMPTON**

Produced by *Tamel s.p.a* a company of **NTB**

|                            |   |         |        |          |            |  |  |  |
|----------------------------|---|---------|--------|----------|------------|--|--|--|
| SHEET<br>SIZE<br><b>A3</b> | TITLE:<br><b>OUTLINE DIMENSION DRAWING W ALUMINIUM TOTALLY ENCLOSED FAN COOLED<br/>180M/L FRAME FEET &amp; D FLANGE MOUNTED MOTOR</b> | NAME    | DATE   | DRG. No. | W47GH0158T |  |  |  |
|                            |   | DRAWN   | JM     | 26-04-11 | DRG. REF.  |  |  |  |
|                            |   | CHECKED |        |          | REVISION:  |  |  |  |
|                            |   | SCALE   | 1 : 25 |          | DATE:      |  |  |  |